

Office of the Chief Engineer (South), Chief Engineer (Design & Research) and Director of Personnel & Ex-Officio Chief Engineer, Irrigation & Waterways Directorate, Government of West Bengal, Jalasampad Bhawan (4<sup>th</sup> Floor), Bidhannagar, Kolkata - 700 091.

Phone No. : (033) 2321 5750 / (033) 2337 8477

Fax : (033) 2321 5750

E-mail : [directorofpersonnel@ymail.com](mailto:directorofpersonnel@ymail.com)



মুখ্য বাস্তুকারের করণ (দক্ষিণ), মুখ্য বাস্তুকার ( নকশা ও গবেষণা ) এবং কর্মচারীবৃন্দের অধিকর্তা ও পদাধিকার বলে মুখ্যবাস্তুকার, সেচ ও জলপথ অধিকার, পশ্চিমবঙ্গ সরকার, জলসম্পদ ভবন (পঞ্চম তল), বিধাননগর,

কলকাতা - ৭০০ ০৯১১

ফোন নং : (০৩৩) ২৩২১-৫৭৫০

(০৩৩) ২৩৩৭-৮৪৭৭

ফ্যাক্স নং : (০৩৩) ২৩২১ ৫৭৫০

ইমেইল : [directorofpersonnel@ymail.com](mailto:directorofpersonnel@ymail.com)

## ORDER

Dated, Kolkata, the 5<sup>th</sup> February, 2019.

The following **Lower Division Clerks** of different regional offices under Irrigation & Waterways Directorate, are, hereby **confirmed** in the interest of public service with effect from the dates as noted against their names, in terms of Finance Department's No.5225-F dated 17.05.95, until further orders.

Sl.No.	N A M E	Date of Birth	Date of Entry as L.D.C.	Date of confirmation	Present Place of Posting
1.	Dipankar Mishra	01.01.89	16.04.15	16.04.18	Malda Irrigation Division
2.	Jahangir Alam	12.07.73	02.09.15	02.09.18	Jalpaiguri Irrigation Division
3	Apu Das	25.09.86	28.09.15	28.09.18	Coochbehar Irrigation Division
4.	Hasanu Zaman	11.03.87	29.10.15	29.10.18	Mayurakshi Head Quarters Division

Sd/-PARAMANU BHOWMIC  
Director of Personnel & Ex-Officio Chief Engineer,  
Irrigation & Waterways Directorate.

Memo. No. : 3336/(8)-CIE/4C-01/2017

Dated: 8/2/19.

Copy forwarded for information and necessary action to :

- 1) The Superintending Engineer/Executive Engineer,

A copy of this order may be handed over to the concerned employee. Entry in the **Service Book** should be made in due course.

  
Director of Personnel & Ex-Officio Chief Engineer,  
Irrigation & Waterways Directorate.

6.2.19