## Page 1 of 8 Govt. of West Bengal

Irrigation & Waterways Dte. Office of the Executive Engineer West Midnapore Division Medinipur, Paschim Medinipur email id-eewmid2012@gmail.com

## NIT NO- WBIW/EE/WMD/NIT 09 of 2016-17

Sl. No. 4

Schedule of Quantity, Unit, Rate and Amount for the work, " Emergent repair to the Type IIIC/1 & TypeIII-C/6 qrts at Sekhpura Irrigation Campus in Anicut (Hd.Qrts.) Section under Lachmapur (I) Sub-Division of West Midnapore Division during 2016 -2017"

Amount put to Tender:

Earnest Money :

₹ 2,67,430.00 ₹ 5,349.00

	Time allowed for Completion :		30 da	ys		
il. No.	Description of Items	No. or	Unit	Estim	Amount	
		Quantity		Figure	Word	
1	Dismantling all types of plain cement concrete works, stacking serviceable materials at site and reremoving rubbish as directed within a lead of 75 m In ground floor including roof. (a) upto 150 mm. thick	0.50	Cum	₹ 949.00	Rupees nine hundred forty nine and paise zero only	₹ 475.00
	Second floor (read with Item no. 2c of page no. 8)	0.08	Cum	₹ 1,049.00	Rupees one thousnd forty nine and paise zero only	₹ 84.00
2	Dismantling all types of masonry excepting cement concrete plain of reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m.  a) In ground floor including roof.	1.00	Cum	₹ 451.00	Rupees four hundred fifty one and paise zero only	₹ 451.00
	Second floor (read with Item no. 1b of page no. 8)	1.00	Cum	₹ 551.00	Rupees five hundred fifty one and paise zero only	₹ 551.00
3	Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m. In ground floor including roof.	4	Sqm	₹ 50.00	Rupees fifty and paise zero only	₹ 185.00
	Second floor (read with Item no. 6b of page no. 9)	3	Sqm	₹ 62.00	Rupees sixty two and paise zero only	₹ 180.00
4	125 mm. thick brick work with 1st class bricks in cement mortar (4:1) in ground floor.	0.32	Sqm	₹ 759.00	Rupees seven hundred fifty nine and paise zero only	₹ 243.00
	Second floor (read with Item no. 42(i)a of page no. 34)	0.32	Sqm	₹ 783.00	Rupees seven hundred eighty three and paise zero only	₹ 251.00
5	Stripping off worn out plaster and raking out joints of walls, celings etc. upto any height and in any floor including removing rubbish and stacking anywhere within the compound as directed.	125	Sqm	ਰ 19.00	Rupees nineteen and paise zero only	₹ 2,375.00

SI. No. Description of Items Unit Estimated Rate Amount Quantity Figure Word Artificial stone in floor, dado, staircase etc. with cement concrete (4:2:1) with stone chips, laid in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (2:1) including Rupees three smooth finishing and rounding off corners and hundred sixty including application of cement slurry before 3.7 Sqm ₹ 369.00 ₹ 1,365.00 nine and paise flooring works, using cement @1.75 kg./sq.m. all zero only complete including all materials and labour. In ground floor. 3 mm. thick topping (High polishing grinding on this item is not permitted) with ordinary cement. Using grey cement. (iii) 35 mm. thick Cleaning the exposed reinforcement preferably upto full diameter by wire brush and applying two coats of polymer based rust removing Rupees nine compound left for 24 hours, removing the hundred fifteen coating and then applying two coats of polymer 1.7 ₹ 915.00 Sqm. ₹ 1,556.00 and paise zero modified anti corrosive protective coating only formulated to inhibit the corrossion of reinforcement manufacturer's per specification. Cleaning the concrete surface by removing dirt and debris, marking defective locations and removing loose concrete by careful stripping Rupoes ninety six untill hard surface is exposed, cutting the 16.00 Sqm ₹ 96.00 and paise zero ₹ 1,536.00 concrete to regular shape, wire brushing the only exposed surface and removing debris from site complete as per direction of the Engineer - in -Charge Applying epoxy based reactive joining agent for joining the old concrete with fresh concrete to be Rupees three applied within manufacturer's specified time as hundred fifty six 15.00 5gm ₹ 356.00 ₹ 5,696.00 per manufacturers specification. (0.4 Kg / m2 of and paise zero only concrete surface). Ordinary Cement Concrete M-15 [ Mix 4:2:1 ] with graded stone chips (20 mm.size) excluding shuttering and reinforcement, if any, in ground floor. As per IS 456-2000 a) Pakur / Chandil Variety Ground floor Rupees six thousand fifty 0.50 Cum ₹ 6,058.16 ₹ 3,029.00 eight and paise one six only Second floor (read with Item no. 11(i) of page Rupees six no. 26) thousand twenty 0.23 Cum ₹ 6,250.16 ₹ 1,438.00 five and paise one six only Cement concrete (3:1.5:1) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting, I.R.C. fabric mesh or X.P.M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and Rupees five with proper scraping and cleaning the hundred eighty 16.00 Sam ₹ 584.00 ₹ 9,344,00 reinforcement and disturbed concrete with wire four and paise brush etc. after applying a coat of cement zero only excluding the cost of wire netting, I.R.C. or X.P.M. but including cost of all handling and scaffolding complete as per direction of Engineer-in charge. b) 25 mm thick.

l. No.	Description of Items	No. or Quantity	Unit	Estimat	ted Rate	Amount
1401			100% PAS 1	Figure	Word	
12	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints or rougening of concrete surface, including throating, nosing and drip course where necessary (ground floor)  (ii) With 4:1 cement mortar					
	(a) 20 mm. thick plaster				Rupees one	
	Ground floor	55.00	Sqm	₹ 191.00	hundredninety one and paise zero only	₹ 10,505.00
	Second floor (read with Item no. 5(ii)a of page no. 166)	55.00	Sqm	₹ 199.00	Ruppes one hundred ninety nine and paise zero only	₹ 10,945.00
	(c) 10 mm. thick plaster					
	Ground floor	7.65	Sqm	₹ 132.00	Rupees one hundred thirty two and paise zero only	৳ 1,010.00
	Second floor (read with Item no. 5(ii)a of page no. 166)	8.50	Sqm	₹ 140.00	Rupees one hundred forty and paise zero only	₹ 1,190.00
13	Extra rate for using water proofing and plasticising admixture @ 0.2% by weight of cement (or at manufacturer's specified rate ). for Concrete of various grades.	2.50	Kg	₹ 139.00	Rupees one hundred thirty nine and paise zero only	₹ 348.00
14	Neat cement punning about 1.5 mm. thick in wall, skirting for closing portion of doordado, window, sills, floor, drain etc.	25.00	кд	₹ 38.00	Rupees thirty eight and paise zero only	₹ 950.00
15	Dismantling Indian W.C. including taking out base concrete as necessary.	2,00	Each	क 45.00	Rupees forty five and paise zero only	र 90.00
16	Filling in foundation or plinth by silver sand in layers not exceeding 150 mm. as directed and consolidating same by thorough saturation with water ramming complete, including the cost of supply of sand. (Payment to be made on measurement of finished quantity) (b) Do - by	0.10	%cum	₹ 53,306.00	Rupees fifty three thousand three hundred six and paise zero only	₹ 53.00
17	Supplying, fitting and fixing E.W.C. In white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc. (a) With 'P' trap		Each	₹ 1,776.00	Rupees one thousand seven hundred seventy six and paise zero only	₹ 3,552.00
18	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws supplied, fitted and fixed complete. (a) E.W.C. (ii) Plastic (hallow type) white	2.00	Each	₹ 446.00	Rupees four hundred forty six and paise zero only	₹ 892.00
19	The state of the s	,				

SI. No	Description of Items	No. or	Unit	Estin	nated Rate	Amount
10.1	[64] P	Quantity		Figure	Word	Amount
19.1	mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg/Sq.m & joint filling using white cement slurry @ 0.20 kg/Sq.m.(b) Area of each tile above 0.09 sq.m. [using adhesive 3mm th.] i) Coloured decorative	8.00	Sqm	₹ 1,025.00	Rupees one thousand twenty five and paise zero only	₹ 8,200.0
19.2	[B] Wall:-With Sand Cement Morter (1:4) 20 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 kg/Sq.m & joint filling using white cement slurry @ 0.20 kg/Sq.m. (a) Area of each tile upto 0.09 sq.m.[using adhesive 3mm th.] iii) Coloured decorative	38.00	Sqm	₹ 840.00	Rupees eight hundred forty and palse zero only	₹ 31,920.0
20	Supplying, fitting and fixing 10 litre P.V.C. low- down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.	2.00	Each	₹ 1,181.00	Rupees one thousand one hundred eighty one and paise zero only	₹ 2,362.00
	Supplying fitting and fixing PVC pipes of approved make of (medium duty) conforming to ASTMD - 1785 & Threaded to match with GI pipes as per IS: 1239 (Part - I). With all nacessary accessories, specials viz socket, bend, tee, union, cross, elbo, nipple, longscrew, R/socket, R/tee, short piece etc. fitted with holder bats clamp, including cutting pipes, making threads, fitting fixing etc. complete in all respect including cost of all necessary fittings as required jointing materials and two coats of paiting with approved paint in any position above ground. (Payment will be made on centre line measurement of the total pipeline including all specials. No separate payment will be made for accesories, specials. Payment for painting will be made seperately)) (a) For exposed Work. PVC pipes 15 mm	28.00	м	₹ 106,00	Rupees one hundred six and paise zero only	₹ 2,968.00
- 1	Supplying, fitting and fixing shower rose of approved brand and make. (g) PTMT overhead shower (Prayag or equivalent) (i) 75 mm round	2.00	Each	₹ 208.00	Rupees two hundred eight and paise zero only	₹ 416.00
	Supplying, fitting and fixing approved brand P.V.C.CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia. (iii) 600 mm long	4.00	Each	₹ 126.00	Rupees one hundred twenty six and paise zero only	₹ 504,00
(	Supplying, fitting and fixing bib cock or stop cock.(e) PTMT (Polytetra Bib Cock / Stop Cock ( Prayag or equivalent) 15 mm	16.00	Each	₹ 177.00	Rupees one hundred seventy seven and paise zero only	₹ 2,832.00
a	Supplying, fitting and fixing PTMT smart shelf of approved make of size 300 mm.	2.00	Each	₹ 285.00	Rupees two hundred eighty five and paise zero only	₹ 570.00
b	Supplying, fitting and fixing towel rail with two brackets.  (a) C.P. over brass  (i) 25 mm dia. and 450 mm long	2.00	Each	₹ 494.00	Rupees four hundred ninety four and paise zero only	₹ 988.00
	upplying, fitting and fixing soap holder. (a) PTMT (Prayag or equivalent)	2.00	Each	₹ 171.00	Rupees one hundred seventy one and paise zero only	₹ 342.00

SI. No.	Description of Items	5 of 8 No. or	Unit		nated Rate	Amount
		Quantity		Figure	Word	
28	Supplying, fitting and fixing stainless steel sink complete with waste fittings and two coats of painting of C.I. brackets. (a) Sink only (ii) 630 mm X 550 mm X 180 mm	2.00	Each	₹ 4,798.00	Rupees four thousand seven hundred ninety eight and paise zero only	₹ 9,596.00
29	Supply of UPVC pipes (B Type) & fittings conforming to IS - 13592 - 1992 (Dia.)					
29.1	A (iii) Single Socketed - 1.80 m length 110 mm	10.00	м	रु 350.00	Rupees three hundred fifty and paise zero only	₹ 3,500.00
29.2	A(I) Single Socketed - 3.00 m length 110 mm	12.00	М	₹ 348.00	Rupees three hundred forty eight and paise zero only	₹ 4,176.00
29.3	C)iii Door Tee 110 mm	2.00	Each	₹ 233.00	Rupees two hundred thirty three and paise zero only	₹ 466.00
29.4	B)xi Door Bend (T.S) b)110 mm	2.00	Each	क 176.00	Rupees one hundred seventy six and paise zero only	₹ 352.00
29.5	B)xv Vent cowl (b) 110 mm.	2.00	Each	を 39.00	Rupees thirty nine and paise zero only	₹ 78.00
29.6	B)xvi Pipe Clip (b) 110 mm.	20.00	Each	₹ 25.00	Rupees twenty five and paise zero only	₹ 500.00
29.7	Li)Nahani Trap 90 mm	2.00	Each	₹ 125.00	Rupees one hundred twenty five and paise zero only	₹ 250.00
30	Iron butt hinges of approved quality fitted and fixed with steel screws with ISI Mark (v) 75mm x 60mm x 3.15mm	26.00	Each	₹ 54.00	Rupees fifty four and paise zero only	₹ 1,404.00
31	Easing door and windows.	20.00	Each	ক 17.00	Rupees seventeen and paise zero only	₹ 340.00
-201	Supplying, fitting and fixing M.S. clamp for fixing door and window frame made of flat bent bar, end bifurcated, fixed in cement concrete with stone chips (4:2:1) fitted and fixed complete as per direction.  (a) 40mm, X 6mm, 250mm, Length.	4.00	Each	₹ 33.00	Rupees thirty three and palse zero only	₹ 132.00
	Labour for taking out door and window frame with or without horns and including shutter for repair replacement of different parts of the frame and refixing the same including mending good all damaes complete. (a) Upto area 2.5 So.m	1.40	Sqm	₹ 121.00	Rupees one hundred twenty one and paise zero only	₹ 169.00
34	Taking out shutter of door and window, dismantling by parts (for repair or replacement of damaged parts), reassembling and refitting and rehanging same with old fittings but with new screws as necessary.	12.10	Sqm	₹ 128.00	Rupees one hundred twenty eight and paise zero only	₹ 1,549.00
35	Wood work in door and window frame fitted and fixed complete icluding a protective coat of painting at the contact surface of the frame excluding cost of concrete, Iron butt Hinges amd M.S.clamp. (h) Neem, lam, Jackfruits.	0.036	Cum	₹ 59,914.00	Rupees fifty nine thousand nine hundred fourteen and paise zero only	₹ 2,157.00

Si. No.	Description of Items Page	No. or	Unit	Estima	ited Rate	Amount
		Quantity		Figure	Word	
36	Styles and rails of wooden shutters fitted and complete (Payment to be made on area of new work only). In Ground floor.  (ii) 35mm. Thick shutter.  (b) Sisu, Gamari, Champ, Badam, Bhola, Mogra, Hallak.	1.05	Sqm	₹ 2,433.00	Rupees two thousand four hundred thirty three and paise zero only	₹ 2,555.00
37	Panel shutters of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hige and other fittings. In ground floor.(iii) 35mm. Thick shutters with 19mm. Thick penal. (b) Sisu, Gamari, Champ, Badam, Bhola, Mogra, Hallak.	3.20	Sqm	₹ 3,144.00	Rupees three thousand one hundred forty four and paise zero only	₹ 10,061,00
38	Shutters of 2/3rd panel and 1/3rd glazed of doors and windows as per design (each panel consisting of a single plank without joint and with ordinary glass of 7.4kg. Per sq.m./3mm thick) fitted with putty bed and teak wood beads and nails including fitting and fixing shutters in position but excluding the cost of hinges and other fittings in ground floor. (iii) 35mm thick shutters with 19mm thick panel. (b) Sisu, Gamari, Champ, Badam, Bhola, Mogra, Hallak.	3.80	Sqm	₹ 3,381.00	Rupees three thousand three hundred eighty one and paise zero only	≅ 12,848.00
39	Supplying, fitting and fixing hinge cleat in position excluding the cost hinge and other fittings.  a) with 50 mm iron Butt-hinge.  (iii) Sal: Local.	10.00	Each	₹ 32.00	Rupees thirty two and paise zero only	专 320.00
40	Iron socket bolt of approved quality fitted and					
	fixed complete. (c) 150mm long x 10mm dia bolt.	10.00	Each	₹ 71.00	Rupees seventy one and paise zero only	रू 710.00
	(d) 225mm long x 10mm dia bolt.	6.00	Each	₹ 87.00	Rupees eighty seven and paise zero only	₹ 522.00
41	Iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16mm dia rod with centre bolt and round fitting. (c) 300mm long.	4.00	Each	₹ 193.00	Rupees one hundred ninety three and paise zero only	ফ 772.00
42	Renewing 125mm long wooden buffer block ii) With Sal : Malayasian	10.00	Each	₹ 57.00	Rupees fifty seven and paise zero only	₹ 570.00
43	Removing old scales, blisters etc. of interior surface of walls, ceiling by scraping etc. and preparing smooth and even surface with rendering or cement mortar (2:1) (as necessary), to make the surface suitable for receiving distemper. (Payment against this item will be made only when this has been done on the specific direction of the Engineer-in-charge).	542.00	%5qm	₹ 1,039.00	Rupees one thousand thirty nine and paise zero only	₹ 5,631.00
44	Applying Interior grade Acrylic Primer of approved quality and brand on plastered or cencrete surface old or new surface to receive Distemper/ Acrylic emulsion paint including scraping and preparingthe surface throughly,complete as permanufacturer's specification and as per direction of the EIC. (In Ground Floor)(a) One Coat i) Water based interior grade Acrylic Primer	542.00	%Sqm	₹ 3,333.00	Rupees three thousand three hundred thirty three and paise zero only	₹ 18,065.00

Page 7 of 8 Sl. No. Description of Items No. or Unit Estimated Rate Amount Quantity Figure Word Acrylic distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic Rupees seventy primer (as per manufacture's specification) 501.00 Sam T 76 00 six and paise zero ₹ 38,076,00 including cleaning and smoothning surface. anily 46 Priming one coat on timber, plastered surface with synthetic oil bound primer of approved Rupees forty 21.00 Sam ₹ 41.00 quality including smooth ening surfaces by sand one and palse ₹ 861.00 zero only papering etc. 47 Priming one coat on steel or other metal surface with synthetic oil bound primer of approved Rupees thirty 84.00 ₹ 31.00 Sam quality including smooth ening surfaces by sand one and paise ₹ 2,604.00 zero only papering etc. Painting with best quality synthetic enamel paint 48 of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary : 48.1 (a) On timber or plastered surface: With other Rupees eighty than hi-gloss of approved quality (iv) two 267.00 5qm ₹ 80.00 and palse zero ₹ 21,360.00 coats (with any shade except white) only 48.2 (b) On steel or other metal surface : With other than hi-gloss of approved quality (iv) two coats Rupees seventy 84.00 Sam ₹ 77.00 seven and paise ₹ 6,468.00 (with any shade except white) zero only Methor mazdoor Rupees two hundred ninety. 6.00 Each ₹ 296.00 ₹ 1,776.00 six and paise zero only 18 mm. to 22 mm. thick, kota stone slab set in 20 mm thick (avg.) cement mortar (4:1) in floor, stair & lobby including pointing in cement slurry Rupees one with admixture of pigment matching the stone thousand one shade, including grinding & polishing as per 1.80 Sam ₹ 1,135.00 hundred thirty ₹ 2,043.00 direction of Engineer - in - charge to match with five and paise the existing work. [Slueey forbedding @ 4.4 zero only kg/Sq.m and pointing @ 2.0 kg/Sq.m] Labour for fitting and fixing U.P.V.C. pipes for above ground work including cost of jointing materials etc. fitting and fixing all necessary specials, cutting pipes, cutting holes in walls or R.C. floor where necessary and mending good all damages excluding the cost of masonry or concrete work, if necessary, but including the Rupees fifty cost and fitting and fixing holder bat clamps(any 30 M ₹ 57.00 seven and paise ₹ 1,710.00 floor) or for underground work including cutting zero only trenches upto 1.5 metre and refilling the same complete as per direction of the Engineer-incharge. (Payment will be made on centre line measurement of the total pipe line including specials.) (A) Under Ground (iv) 110 mm dia 52 Dismantling & Refixing pit cover. Rupees thirty 6 Each ₹ 35.00 five and paise ₹ 210.00 zero only 53 Cleaning silt of master trap pit. Rupees one thousand one Each 2 ₹ 1,164.00 hundred sixty ₹ 2,328.00 four and paise zero only

SI, No.	Description of Items	No. or Quantity	Unit	Estim	Amount	
				Figure	Word	244000000
54	Cleaning silt of inspection pit.	4	Each	₹ 155.00	Rupees one hundred fifty five and paise zero only	₹ 620.00
55	Supplying fitting and fixing in position R.C.C. Manhole/pit cover of approved make with rim of approved make (Heavy type) (i) 450 mm dia.	10	Each	₹ 303.00	Rupees three hundred three and paise zero only	₹ 3,030.00
56	Removing chokage of H.C.L or S.W. pipe with split bamboo. (b) Over ground	25	М	₹ 9.00	Rupees nine and paise zero only	₹ 225.00
	Total Amount put to Tender in figure =					₹ 2,67,430.00
	Total Amount put to Tender in word :	Rupees tw	o lakh si	xty seven tho	usand four hundre	d and thirty only

Executive Engineer
West Midnapare Division
Irrigation & Waterways Dte.
Paschim Medinipur

I / We do hereby agree to do the above work @	9
Above / Less / At par than this Schedule Of Ra	ates attached herewith.
	(Signature of the Contractor)